

TRANSPORT HEAVY MACHINERY WITHOUT CLIMBING ONTO THE TRAILER

Grade 80 J-Hook Chain Assemblies

3/8" Chain | 7,100 lbs WLL

The oversized J-hooks on these products allow the driver to quickly and easily secure large equipment with less climbing, reducing load times and increasing driver safety

Part Number	Length (Feet)	Chain End Hardware	Chain Grade	Package Qty
50378-10-10	10'	15" J-Hook	G80 Clevis	1
50378-11-05-2	5'	15" J-Hook	N/A	2
50739-10-05-2	5'	8" J-Hook	N/A	2



50378-10-10



50378-11-05-2



50739-10-05-2



TAKE THE "BOOM" OUT OF THE "BOOMER"

Recoilless Lever Chain Binder | 45943-14

5/16" - 3/8" | 5,400 lbs WLL

An integrated cam reduces recoil during the unloading process, greatly reducing the chance of driver injury



LOCK DOWN THOSE LEVERS

Lever Binder Lock | 50117-10

This simple locking mechanism secures the handle on lever binders and prevents possible rotation and the releasing of tension during transit



DIY SHORING & DECKING

Beam Socket | 40921-10

Add convenience and flexibility to box trucks and trailers by being able to build shoring or decking beams on demand using standard 2x6 commercial grade lumber and standard E&A logistics track



LESS LOAD TIME, MORE ROAD TIME

EZ Binder™

Use with 5/16" - 3/8" Chain

With the ability to tension chains up to 90% faster than equivalent ratchet binders, drivers will spend substantially less time tensioning chain, meaning more time on the road; less motion and effort to tension chains also means less physical demand on the driver

Part Number	Description	Working Load Limit (lbs)
50140-10	EZ Binder ^{S400}	5,400
50140-11	EZ Binder ^{S600}	6,600



Scan this QR Code to see a video on how easy it is to use.



DECREASE FLATBED LOAD TIME BY AS MUCH AS 33%

Ratcheting Winches

Let the driver fully tighten the winch without ever removing the winch bar just like a socket wrench works to tighten a bolt, reducing the tensioning time while lowering the risk of injury from bar slips or roll overs

Part Number	Winch Type	Surface Treatment	Working Load Limit (Lbs)	Attachment	Mount Placement
43563-10-RW	Standard	Black Lacquer	5,500	Weld-On	Bottom
43565-127-RW	Storable	Powder Coat	6,000	Slider	C-Track
43565-157-RW	Storable	Black Lacquer	6,000	Slider	C-Track
49207-137-RW	Portable	Powder Coat	5,500	Slider	Double L-Track
49207-187-RW	Portable	Powder Coat	5,500	Slider	Double L-Track



Scan this QR Code to see a video on how easy it is to use.

REDUCE BACK STRAIN WHEN TIGHTENING WINCHES

Ergo 360° Winch Bars

With the patented 30-degree bend in the middle of these bars, the ERGO bar allows the driver to rotate the bar and get another 30 degrees of rotation out of the winch mandrel, this reduces the number of times the driver needs to reinsert the bar into a standard winch, lowering the risk of a repetitive injury or bar slip

34^{IN} Standard | 50015-10



34^{IN} Combination | 50015-20

• Open ended



34^{IN} Combination Box End | 50015-21

• Chain binder release end



EASILY CONVERT EXISTING WINCHES TO RATCHETING WINCHES

SilverCap OverDrive® | 49723-10

The SilverCap OverDrive converts existing standard winches into ratcheting winches in just a few seconds giving the driver all the benefits of a ratcheting winch, without the cost of replacing existing functional winches




Scan this QR Code to see a video on how easy it is to use.

QUICKLY WIND UP LOOSE STRAPS

EZ Winder | 50092-10

The EZ Winder helps to keep toolboxes tidy by quickly winding up winch straps for storage when not in use, this tool helps get the driver packed up quickly and back on the road




DON'T THROW A HEAVY HOOK, TOSS 'N TIE INSTEAD

Toss 'N Tie™ | 50409-10-1PK

Throwing a heavy hook over the load can be dangerous to all involved, it can strike someone or something on the other side, or do damage to the thrower; simply clip the Toss 'N Tie onto the hook, throw the rubber ball over the load and pull the hook across the top

Scan this QR Code
to see a video on how
easy it is to use.




PROTECT THE FREIGHT AND THE STRAP

X-TREME Guard® | Lightweight Corner Protectors

Soft cargo can be damaged by a tensioned strap, a strap can be damaged when being tensioned against sharp or abrasive cargo; prevent both with these durable corner protectors; extend strap life and reduce damaged freight claims with one product

Part Number	Trade Size (Inches)
50089-12	12"
50089-24	24"
50089-39	39"
50089-48	48"



KEEP YOUR FEET ON THE GROUND WHEN PLACING CORNER PROTECTORS

Corner Protector Placement Tool | 50451-11

Extending from 4' to 8', this handy tool allows the driver to place Ancra corner protectors on most loads from the ground level; this helps prevent slip and fall injuries while expediting the placement process



Scan this QR Code
to see a video on how
easy it is to use.



CLOSE ROLL-UP DOOR WHILE STANDING ON THE GROUND

Door Pull Strap Kit | 10788-10

Installs into logistic post or E-track to make it easier to pull door closed



SAVE LIVES, REDUCE FINES

Safety flags help get a truck noticed when it's carrying oversized or sensitive loads, this protects the driver as well as anyone around the vehicle; they are also required by law in most states

49893-10 | Fluorescent Red

18" x 18"

- Heavy duty mesh
- Wooden dowel



49893-11 | Red

18" x 18"

- Cotton
- Steel wire rod



49893-12 | Fluorescent Red

18" x 18"

- Heavy duty mesh
- 2 Brass grommets



49893-13 | Fluorescent Orange

18" x 18"

- Heavy duty mesh
- Wooden dowel



49893-14 | Fluorescent Orange

18" x 18"

- Heavy duty mesh
- 2 Brass grommets



Magnetic Flag Holder | 50430-10

- 2.3" Diameter ceramic magnet
- Easily secure warning flags
- Center screw & wing nut for attachment



HAULING IS HAZARDOUS, BE READY

Triangle Warning Kit | 50434-10

Accidents and breakdowns are inevitable in trucking, be ready with this set of 3 weighted triangles that fold down flat and store in the included plastic case



VERSATILE SIGNAGE FOR VERSATILE HAULERS

Bungee Banner: Wide or Oversize Load | 49894-15

This dual-sided banner has integrated bungee cords which allows the driver to quickly switch from a wide load to an oversize load, and back again, saving time and effort



SAFE. STRONG. RELIABLE

Fifth Wheel Release | 50354-10

Reaching under the trailer to release the fifth wheel can cause bodily injury, as well as, damaging clothes with grease & grime but this tool can help reduce these problems



UPGRADE OLD, FRAYED OEM STRAPS

Door Pull Straps

The door pull strap comes in a few lengths to aid in pulling overhead and side doors



Part Number	Length (Inches)
49015-18	18"
49015-24	24"
49015-36	36"

STOP THE CARGO AVALANCHE BEFORE IT STARTS

Trailer Door Limit Strap | 10924-10

Our trailer door limit strap protects the driver and surrounding objects from product that may have shifted against the trailer doors during transit, it gives the driver the opportunity to inspect and remedy the situation before fully opening the doors



MASTER THE ART OF TRAILER TRANSITIONS

Driver Assist Straps | 10902-11PK | Single Loop

10902-21 | Dual Loop



Assist drivers in and out of trailers and limit unnecessary accidents



Ankra Consumer / Industrial Sales Group

1-800-626-8353 | cicustomerservice@ankra.com | ankracargo-ci.com

CI-130_0324